

		Rao Start Smart Contes	st 2016 / Std. X / Set / MENTAL ABILITY	
*	O.No. 1 to O.No.			re is only one correct answer.
•		o .		ong Answer : –1, Unattempted: 0)
1.	A merchant has 100	_	he sells at 8% profit and	the rest at 18% profit. He gains 14%
	(A) 400kg	(B) 560 kg	(C) 600 kg	(D) 640 kg
2.		•		er, Neen's sister Veena reached fine arned on Tursday, on what day did
	(A) Friday	(B) Saturday	(C) Wednesday	(D) None
3.	Which of the follow	ring animal is different from	the rest	
	(A) Chicken	(B) Snake	(C) Frog	(D) Crocodile
4.	Choose the correct	Venn diagram for the follow	ving. Musician, Scientist	, Artist.
	(A) O	(B)	(C)	(D)
5.	Anil, introducing a g girl?	girl in a party, said she is the	wife of the grandson of	my mother. How is anil related to the
	(A) Father	(B) Grandfather	(C) Husband	(D) Father-in-law
6.	Identify the missing	term 9,19, 40,170.		
	(A) 80	(B) 82	(C) 83	(D) 84
7.	If 11 th January 1997	7 was a sunday. What day	of the week was on 7th J	anuary 2000?
	(A) Friday	(B) Sunday	(C) Monday	(D) Saturday
8.	EARN is related to	RANE and BON is related	d to NODB in the same	way as TEAR is related to
	(A) AERT	(B) ATRE	(C) ARET	(D) REAT
9.	A,B,C,D,E are sittito to the right of D?	ng around a circle. If D is a	n right of A, B is second	to the left of C, then who is second
	(A) B	(B) C	(C) E	(D) A
10.	-	piece on the table in such a will point at 9:15 PM?	ay that at 6 PM hour har	nd points to north. In which direction
	(A) South-East	(B) South	(C) North	(D) West
11.		:: : ?		
	(A)	(B)	(C)	(D)
12.	4,18,48,100,	?		
	(A) 150	(B) 163	(C) 180	(D) 210
	Rao IIT /	Academy	1 Website	: www.raoiit.com





Q.No. 26 to Q.No.35 Single correct answer type: In this type there is only one correct answer. • Choose only one option for an answer: (Correct Answer: +3, Wrong Answer: -1, Unattempted: 0) The length and breadth of a rectangle were measured using an instrument and the area was determined as


26. 28.83 cm². The instrument used could be

- (A) a vernier caliper whose least count is 0.1 mm
- (B) a metre scale
- (C) a vernier caliper whose least count is 0.3 mm
- (D) none of the above

If a limit vector is represented by $0.5 \hat{i} + 0.8 \hat{j} + c \hat{k}$, then the value of c is 27.

- $(A) \pm 1$
- (B) $\pm \sqrt{0.11}$ (C) $\pm \sqrt{0.01}$ (D) $\pm \sqrt{0.39}$

28. A block of mass 2 kg is placed on the floor. The coefficient of static friction between the two surfaces is 0.4 A. force of 2.5 newton is applied on the block as shown. The force of friction between the block and the floor is



- (A) 7.84 N
- (B) 2.50 N
- (C) 6.45 N
- (D) 13.34 N

29. The uncertainty involved in the measurement of velocity of electron with a distance of 0.1Å is

- (A) $5.79 \times 10^8 \text{ m/s}$
- (B) $5.79 \times 10^5 \text{ m/s}$
- (C) $5.79 \times 10^6 \text{ m/s}$
- (D) $5.79 \times 10^7 \text{ m/s}$

30. Ionic compounds do not conduct electricity in solid state. Identify the correct reason

- (A) Absence of oppositely charged ions in solid state
- (B) Absence of mobile ions in solid state
- (C) Absence of forces of attraction between ions in solid state
- (D) Absence of free electrons in solid state

31. In a hydrocarbon, the mass ratio of H to C is 1:3. The empirical formula of hydrocarbon is

- (A) CH
- (B) CH,
- $(C) CH_{A}$
- (D) CH₂

32. Wax glands of honey bee are present in:

- (A) queen
- (B) drones
- (C) workers
- (D) both (A) and (C)

33. The proteins and lipids, essential for building the cell membrane, are manufactured by

(A) endoplasmic reticulum

(B) Golgi apparatus

(C) Mitochondria

(D) Peroxisomes

34. Ascaris lumbricoides is common roundworm of

- (A) liver
- (B) bile duct
- (C) large intestine
- (D) small intestine

Rao IIT Academy

Website: www.raoiit.com

35.	Rao Start Smart Contest 2016 / Std. X / Set A / QP Epithelial tissue always has an exposed outer surface and an inner surface anchored to connective tissue by a thin, non - cellular structure called the					
	(A) nonstratified layer	(B) stratified layer				
	(C) basement membrane	(D) fibroblast				
*	ere are one or more than one is are marked.					
	(Correct Answer: +4, Wrong Answer: 0)					
36.	According to Newton's universal law of gravi	According to Newton's universal law of gravitation. The gravitational force between two bodies is				
	(A) Always attractive and depends on their m	(A) Always attractive and depends on their masses				
	(B) depends on the distance between them	(B) depends on the distance between them				
	(C) depends on the medium between the bod	(C) depends on the medium between the bodies				
	(D) does not depend of the medium between	(D) does not depend of the medium between the bodies				
37.	An experiment is conducted to determine the velocity of sound resonating air column method where the first and second resonating lengths are 20 cm and 60 cm respectively for a tuning fork of frequency 100 Hz Arrange the following steps in sequential order to determine the velocity of sound.					
	(a) Note the frequency of the tunning fork (n) that is used to produce resonance in the closed organ tube					
	(b) This will be the fundamental frequency of air column					
	(c) The velocity of sound in air, $v = 2n (\ell_2 - \ell_1)$.					
	(d) Identity the first and second resonating lengths when the tuning fork of frequency (n) is used from the					
	given information. Let it be ℓ_1 and ℓ_2 respectively					
	$(A) a,b,c,d \qquad \qquad (B) a,c,b,d$	(C) a,b,d,c	(D) c,a,b,d			
38.	The concentration of $9.8 \mathrm{g}$ of $\mathrm{H_2SO_4in}500\mathrm{s}$	ml solution is?				
	(A) 0.5 M (B) 0.2 M	(C) 0.4 N	(D) 0.02 M			
39.	Which one of the following is incorrect about tuberculosis?					
	(A) It is caused by Salmonella					
	(B) It commonly affects lungs					
	(C) Bacteria release tuberculin toxin					
	(D) Oral Rehydration Solution (ORS) is a prescribed therapy of the disease.					
40.	. Choose the wrong statement					
	(A) cells of striated muscles are multinucleate	and unbranched.				

Rao IIT Academy

(B) Voluntary muscles or found in bronchi in lungs.

(D) epithelial tissue have intercullular spaces between them

(C) Contractile proteins are found in blood.

Rao Start Smart Contest 2016 / Std. X / Set A / QP

• Q.No.41 Matrix Match Type: In this type statements are given in 2 columns which have to be matched. The statements in Column – I are labeled with choices A, B, C and D, while the statements in Column-II are labeled with choices p,q,r,s and t. For each option in column-I, there is only one correct option available in column-II:

(Correct Answer: +1.25 marks for each correct match, Wrong Answer: 0)

41. Column – I

Column - II

(A) Orbital velocity

 $(p)\;\sqrt{\frac{GM}{R}}$

(B) Velocity of sound in air

(q) $\sqrt{\frac{2GM}{R}}$

(C) Reflection of sound in open tube

(r) standing waves

(D) Tracking a fish in ocean

- (s) sonar
- (t) independent of Amplitude of vibration
- Q.No. 42 to Q.No. 46 Integer type: The answer to each question is an integer ranging from 0 to 9:


 (Correct Answer: +4, Wrong Answer: 0)
- 42. A body starts from rest and moves with uniform acceleration for 3 s. It then decelerates uniformly for 2 s and stops. If the deceleration is 3 ms^{-2} , the maximum velocity of the body is _____ ms^{-1} .
- 43. An engine develops $10 \, \text{kW}$ power. How much time will it take to lift a mass of $200 \, \text{kg}$ to a height of $40 \, \text{m}$? (take $g = 10 \, \text{ms}^{-2}$)
- 44. The element with atomic number 26 will be found in group
- 45. The value of n in molecular formula $Be_nAl_2Si_6O_{18}$ is
- 46. Which of the following names is/are not a type of soil?

 Loam, Biome, Gravel, Clay, Salt, Silt and Sand

Rao Start Smart Contest 2016 / Std. X / Set A / QP

Section - III: MATHEMATICS

- Q.No. 47 to Q.No.56 Single correct answer type: In this type there is only one correct answer. • Choose only one option for an answer: (Correct Answer: +3, Wrong Answer: -1, Unattempted: 0)
- 47. In an election, two contestants A and B contested. x % of the total votes voted for A and (x + 20)% for B. If 20% of the voters did not vote, then find x.
 - (A)30
- (B) 25
- (C) 40
- (D)35
- The pair of linear equations 2x + ky 3 = 0, $6x + \frac{2}{3}y + 7 = 0$ has a unique solution if 48.
 - (A) $k = \frac{2}{2}$
- (B) $k \neq \frac{2}{2}$
- (C) $k \neq 5$
- (D) $k \neq \frac{2}{9}$
- The condition that one root of $ax^2 + bx + c = 0$ may be the double of the other is: 49.
 - (A) $b^2 = 2ac$
- (B) $b^2 = 3ac$
- (C) $2b^2 = 9ac$
- (D) $2b^2 = 3ac$
- 50. In the figure given below (not to scale), D is a point on the circle with centre A and C is a point on the circle with centre B. $\overline{AD} \perp \overline{BD}$ and $\overline{BC} \perp \overline{CA}$. Then which of the following is true?



(A) BD = AC, when AD = BC

(B) BD = AC, when $\overline{AD} \parallel \overline{BC}$

(C) Both (A) and (B)

- (D) BD = AC is always true
- The coordinates of A and B are (1,2) and (2,3) point C lies in between A and B such that 51. AC + CB = AB and $\frac{AC}{CB} = \frac{4}{3}$. The coordinates of C are
 - $(A)\left(\frac{4}{7},\frac{3}{7}\right)$
- (B) $\left(\frac{4}{7}, \frac{11}{7}\right)$ (C) $\left(\frac{11}{7}, \frac{18}{7}\right)$
- (D) None of these
- 52. If the first, second and last terms of an A.P. are a, b and 2a respectively, its sum is
 - (A) $\frac{ab}{2(b-a)}$ (B) $\frac{ab}{b-a}$
- (C) $\frac{3ab}{2(b-a)}$
- (D) None of these

- The simplified value of $\sin^4 \alpha + \cos^4 \alpha + \frac{1}{2} \sin^2 2\alpha$ is 53.
 - (A) 1
- (B) $\sin \alpha + \cos \alpha$
- (C)0

- (D) 1
- 54. Two dice are thrown together. The probability that sum of the numbers will be a multiple of 4 is
 - (A) $\frac{1}{2}$

(B) $\frac{1}{2}$

- (C) $\frac{1}{8}$
- (D) $\frac{1}{4}$

Rao	Start	Smart	Contest	2016	/ Std.	X/Set	A/OP

	Rao IIT	Academy	8 Website:	www.raoiit.com		
_				t) 100		
	(D) Sum of all odd	numbers between 100 and	d 200 is	s) 10000		
	(C) Sum of the A.F	P. $1 + 3 + 5 + \dots + 199$ is		r) 200		
	first term is 10. Its 2	20 th term is				
	(B) Sum of the first	14 terms of and A.P. is 1	050 and its	q) 1020		
	_	20 terms of A.P. –6,0,6,1	12is	p) 7500		
	Column_I			Column_II		
62.	Match the column					
	•	-	correct match, Wrong Ans	wer : 0)		
	ments in Column-II are labeled with choices p,q,r,s and t. For each option in column-I, there i only one correct option available in column-II:					
***	Q.No.62 Matrix Match Type: In this type statements are given in 2 columns which have to b matched. The statements in Column – I are labeled with choices A, B, C and D, while the state					
*	J	Match Type: In this type	e statements are viven in	2 columns which have to be		
	(A) $x + y = \frac{3}{5}$	(B) $x + y = 3$	(C) $5x + y - z = -9$	(D) $5x + y - z = 9$		
01.	$\begin{bmatrix} x & 2 \end{bmatrix}^{+} \begin{bmatrix} 3 & 1 \end{bmatrix}$	$2 \rfloor^{=} \begin{bmatrix} 6 & 2 \end{bmatrix}^{\text{then}}$				
61.	If $5\begin{bmatrix} -3 & 1 \\ x & 2 \end{bmatrix} + \begin{bmatrix} y \\ 3 \end{bmatrix}$	$4 \begin{bmatrix} -15 & 9 \end{bmatrix}$ then				
	(A) reflexive	(B) symmetric	(C) anti symmetric	(D) equivalence		
60.	If $R = \{(a,b)/ a+b = a + b \}$ is a relation on a set $\{-1,0,1\}$ then R is					
	(A)-2	(B) 4	(C)-4	(D) 9		
59.	For what values of k, the equation $9x^2 + 3kx + 4 = 0$ has equal roots?					
	(C) length of $AB =$	$\sqrt{10}$ units	(D) length of diagonal	$AC = \sqrt{41} \text{ units}$		
	(A) x = 3		(B) y = 6			
58.		, $C(x,6)$ and $D(3,5)$ are th	ne vertices of a parallelogran	n taken in order, then		
	(A) Mean = 4	· /	(C) Median $= 4$	(D) Mean $= 5$		
57.	In the following dis	stribution 3, 5, 7, 4, 2, 4				
	(Correct Answer: +4, Wrong Answer: 0)					
•••	_	-	ly if all the correct option			
*	7	7	swer tyne: In this tyne the	ere are one or more than one		
	(A) $\frac{15}{4}$	(B) $\frac{-15}{4}$	(C) 4	(D) 15		
56.	If α and β are the zeroes of the quadratic polynomial $f(x) = x^2 - x - 4$, then the value of $\frac{1}{\alpha} + \frac{1}{\beta} - \alpha \beta$ is					
	(A) 19.8	(B) 8.8	(C) 9.5	(D) 30.8		
	to the set. The new		J			
55. The mean of a set of 20 observations is 19.3. The mean is reduced by 0.5 when a new of				when a new observation is added		

- Q.No. 63 to Q.No.67 Integer type: The answer to each question is an integer ranging from 0 to 9:

 (Correct Answer: +4, Wrong Answer: 0)
- 63. If x = 2 and y = 4 then

$$\left(\frac{x}{y}\right)^{x-y} + \left(\frac{y}{x}\right)^{y-x}$$
 is equal to

- 64. For all r, such that $1 \le r \le 100$, $n(A_r) = r + 1$ and $A_1 \subset A_2 \subset A_3 \dots \subset A_{100}$. If $\bigcap_{r=1}^{100} A_r$ contains P elements then unit digit of P is
- 65. A copper cable, 32 cm long, having diameter 6 cm, is melted to form a sphere, then radius of sphere is
- 66. The 10th term of the sequence $\sqrt{3}$, $\sqrt{12}$, $\sqrt{27}$is $\sqrt{3n^2}$. Find value of $\frac{n}{2}$
- 67. If $\begin{bmatrix} a & 3 \\ 4 & 5 \end{bmatrix} \begin{bmatrix} 3 & -2 \\ b & 8 \end{bmatrix} = \begin{bmatrix} 30 & 20 \\ 52 & c \end{bmatrix}$, then a + 4b c is equal to

ANSWER KEY

Section - I: MENTAL ABILITY

- 1. (C) 2. (A) 3. (A) 4. (A) 5. (D) 6. (C)
- 7. (D) 8. (A) 9. (C) 10. (D) 11. (A) 12. (C)
- 13. (A) 14. (D) 15. (C) 16. (B) 17. (B) 18. (B)
- 19. (C) 20. (C) 21. (C) 22. (D) 23. (C) 24. (D)
- 25. (C)

Section - II: SCIENCE

- 26. (B) 27. (B) 28. (B) 29. (C) 30. (B) 31. (C)
- 32. (C) 33. (A) 34. (D) 35. (C)
- 36. (ABD) 37. (ABCD) 38. (BC) 39. (AD) 40. (BCD)
- 41. (A-p; B-t; C-r; D-s)
- 42. (6) 43. (8) 44. (3) 45. (3) 46. (2)

Section - II: MATHEMATICS

- 47. (A) 48. (D) 49. (C) 50. (C) 51. (C)
- 52. (C) 53. (D) 54. (D) 55. (B) 56. (A)
- 57. (ABC) 58. (CD) 59. (BC) 60. (AB) 61. (AC)
- 62. (A-s; B-r; C-p; D-q)
- 63. (8) 64. (1) 65. (6) 66. (5) 67. (2)